





STANDARD EQUIPMENT

Key features that come as standard:

ENGINE AND DRIVETRAIN

- 3.8-litre twin-turbocharged V6 with 570PS and 637Nm torque
- Electronic drive-by-wire throttle ATTESA ET-S Four-Wheel Drive (4WD) with patented independent rear-mounted transaxle
- Aluminium plate engraved with the Takumi name

TRANSMISSION

- GR6 six-speed Dual Clutch Transmission with three driver-selectable modes
- Fully automatic shifting or sequential manual control via steering wheel-mounted paddle shifters
- Downshift Rev Matching (DRM)
- Predictive pre-shift control (in R-mode)
- R-START Mode for optimum standing start performance

INTERIOR

- Front heated seats
- 8-way power driver seat and
- four-way passenger seat
- Dual individual rear seats
- Leather-wrapped steering wheel handbrake and gear knob
- Carbon fibre trimmed centre console

BRAKES, SUSPENSION AND STEERING SAFETY - Driver, passenger, side and curtain

- Four-wheel disc brakes 390 mm front and 380 mm rear
- Asymmetrical suspension setup Front suspension - double-wishbone with aluminium members Rear suspension - multi-link with aluminium members
- Bilstein[®] DampTronic shock absorbers with three driver-selectable modes Electronically controlled rack-and-pinion steering with
- vehicle-speed-sensitive power assist

EXTERIOR

- RAYS[®] 20" 20-spoke forged alloy wheels
- Body coloured rear spoiler with integrated high-mounted centre stop light
- Wide-beam automatic LED headlights LED Daytime Running Lights and LED rear lights
- Electric, heated and folding body coloured rear view door mirrors Flush-mounted aluminium door
- handles Quad exhaust pipes
- UV-reducing solar glass

 Front seatbelts with pretensioners and load limiters Body construction including

airbags

- front and rear crumple zones and pedestrian safety pop-up bonnet ABS with EBD and Brake Assist
- Hood buckling creases, pipe-style steel side-door guard beams, and energy-absorbing steering column Electronic Traction Control
- Vehicle Dynamic Control (VDC)
- Tyre Pressure Monitoring System
- Nissan Anti Theft System Immobiliser Nissan approved alarm system
- Hill Start Assist
- Remote central door locking ISOFIX childseat anchorage points
- Safety kit (warning triangle, first aid kit and 2 high visibility jackets)

AUDIO AND NAVIGATION

- NissanConnect Satellite Navigation and Entertainment System:
- High resolution 8" touch screen - SD card satellite navigation
- Colour reversing camera
- Bluetooth[®] audio streaming and hands free phone system
- 2x USB ports for ipod[®] connectivity
- AUX socket for MP3 player
- AM/FM/CD audio system - DAB Digital Radio
- Multi-function meter which displays
- vehicle settings, vehicle information and performance telemetry
- Apple CarPlay
- Bose[®] audio system with 11 speakers
- Active Noise Cancellation
- Active Sound Enhancement
- Rotary control on centre console

COMFORT AND CONVENIENCE

TECHNOLOGY

system

button

Front and rear parking sensors


Cruise control and speed limiter

Rain sensing windscreen wipers

Titanium exhaust with open valve

Nissan Intelligent Key with push start

- Automatic air conditioning with dual zone climate control
- Electric front windows
- Rake and reach adjustable steering wheel
- Steering wheel mounted audio controls
- Dual illuminated visor vanity mirrors
- 12V power sockets x2
- Front centre console with armrest, storage and dual cupholders
- Rear cupholder
- Map reading lamps
- Trip computer
- · Leather pull strap in boot lid





TRIMS

PURE

IN ADDITION TO STANDARD EQUIPMENT





INTERIOR

RECARO[®]

IN ADDITION TO STANDARD EQUIPMENT



Recaro[®] black and red sports leather seats and interior

Black leather and Alcantara® seats and interior

PRESTIGE

IN ADDITION TO STANDARD EQUIPMENT

INTERIOR High quality leather touring seats and interior





PRESTIGE BLACK

PRESTIGE RED



PRESTIGE TAN





PRESTIGE GREY





TRACK EDITION

IN ADDITION TO RECARO®

EXTERIOR

 RAYS[®] 20" 9-spoke NISMO GT500 forged lightweight alloy wheels

INTERIOR

Recaro® black and red sports leather seats and interior

BRAKES, SUSPENSION AND STEERING OPTIONS

- NISMO race tuned suspension setup
 NISMO-tuned Bilstein® DampTronic shock absorbers with three driver-selectable modes
- NISMO body bonding for increased rigidity and improved on track performance
- NISMO carbon fibre backed Recaro[®]
- nic bucket seats in black leather and red alcantara • Carbon fibre boot lid
 - Carbon fibre rear spoiler with integrated high-mounted centre stop light
 Carbon fibre roof
 - Brembo carbon ceramic brakes (410mm front, 390mm rear)



Image shows 2020 Track Edition with optional Storm White paint (£875), optional Carbon Roof (£2,000) and optional Carbon Ceramic Brakes (£7,500).







GT-R NISMO

600 PS

652 Nm torque

GT3 Turbochargers

Brembo Carbon Ceramic Brakes

Print | Close

nismo

NISSAN





NISMO

IN ADDITION TO TRACK EDITION

EXTERIOR

- NISMO carbon fibre racing rear spoiler with integrated high-mounted centre stop light
- Carbon fibre bonnet
- Carbon fibre front and rear bumpers
- Carbon fibre boot lid
- Carbon fibre side skirts
- Brembo carbon ceramic brakes (410mm front, 390mm rear)

ENGINE AND DRIVETRAIN

- 3.8-litre twin-turbocharged V6 with 600PS and 652Nm torque
- NISMO badge on engine

INTERIOR

- NISMO carbon fibre backed Recaro[®] bucket seats in black leather and red alcantara
 Black Alcantara[®] steering wheel with
- red centre marker • Black Alcantara® dashboard, A-pillars
- and roof lining. • NISMO interior badge set into carbon
- fibre centre console

NISMO PAINT COLOURS • Vibrant Red (Solid) • Storm White (Metallic) • Pearl Black (Metallic)

Pearl Black (Metallic)Ultimate Silver (Special Paint)









PAINT COLOURS







Vibrant Red* (S)







Gun Metallic* (M)

Katsura Orange* (SP)

Storm White (M)

Ultimate Silver* (SP)

Pearl Black* (M)

NISMO COLOURS



Pearl Black* (M)



Ultimate Silver* (SP)

*Anti Scratch S = SOLID M = METALLIC SP = SPECIAL PAINT



Vibrant Red* (S)



Storm White* (M)

PRICELIST

GRADE	ENGINE	TRANSMISSION	BASIC PRICE £	VAT £	TOTAL RETAIL £	FIRST REGISTRATION FEE	VED £	ON THE ROAD PRICE £
GT-R 2020								
PURE	3.8L V6 570PS	6 Speed Automatic	68,171	13,634	81,805	£55	2,135	83,995
RECARO®	3.8L V6 570PS	6 Speed Automatic	70,671	14,134	84,805	£55	2,135	86,995
PRESTIGE	3.8L V6 570PS	6 Speed Automatic	71,504	14,301	85,805	£55	2,135	87,995
TRACK EDITION	3.8L V6 570PS	6 Speed Automatic	81,504	16,301	97,805	£55	2,135	99,995
NISMO	3.8L V6 600PS	6 Speed Automatic	144,004	28,801	172,805	£55	2,135	174,995

Basic and Total Retail excludes delivery to the Dealership and number plates. On the Road Price includes 12 months Government Vehicle Excise Duty, Government First Registration Fee (£55) and delivery to the dealership.

OPTIONS

		PURE / RECARO / PRESTIGE	TRACK EDITION	NISMO	BASIC £	VAT £	TOTAL £
Carbon fibre rear spoiler			0	•	2,500	500	3,000
Carbon fibre roof		-	0	•	1,667	333	2,000
NISMO carbon fibre backed Recaro® bucket seats in black leather and red alcantara		-	0	٠	5,625	1,125	6,750
Brembo carbon ceramic brakes			0	•	6,250	1,250	7,500
Carbon spoiler & boot lid		-	0	•	3,750	750	4,500
Solid Paint	Vibrant Red (A54)	•	•	•	0	0	0
Metallic Paint	Pearl Black (GAG), Storm White (QAB)	0	0	•	729	146	875
	Gun Metallic (KAD)	0	0	-	729	146	875
	Bayside Blue (RCB)	0	0	-	729	146	875
Special Paint	Ultimate Silver (KAB)	0	0	•	1,479	296	1,775
	Katsura Orange (EBG)	0	0	-	1,479	296	1,775
Prestige Seat Trim	Black	•	-	-	0	0	0
	Tan, Red, Grey	0	-	-	833	167	1,000





GT-R TECHNICAL DATA

MODEL								
Grade			Pure, Recaro [®] , Prestige	Track Edition	NISMO			
Seating capacity per		persons	4					
ENGINE								
Engine code			~	VR38DETT				
No. of cylinders, c	onfiguration		V6 Twin Turbo					
Valves per cylinde	er -		4					
Cam design			DOHC continuously variable valve timing					
Engine capacity		сс	3,799					
Bore x stroke		mm	955 x 88 4					
Max. engine powe	er (1)	PS @ rpm	570 @ 6	600 @ 6,800				
Max. torque (1)		Nm @ rpm	637 @ 3,60	0-5,800	652 @ 3,600 - 5,800			
Fuel type				Unleaded Petrol RON 100				
Emissions Certific	ation Level		Euro 6d-temp					
Emission control	system		3-way catalyst and secondary air injection system					
Exhaust Type			Full titanium dual system with 4 outlets					
DRIVE TRAIN								
Drivetrain configuration			Independent transaxie 4WD					
Transmission			6 speed Dual Clutch Transmission					
		1st	4.056					
		2nd	2.301					
		3rd	1.595					
		4th	1.248					
Gear ratio		5th	1.001					
		6th	0.796					
		Reverse	3383					
		Final drive ratio	Front 2.937 / Rear 3.700					
Limited slip differe	ential		1.5 Way Mechanical LSD					
PERFORMANC	E							
	Low Phase Max	mpg	12.9		12.7			
Fuel consumption (3) WLTP data (4)	Medium Phase Max	mpg	209		20.6			
	High Phase Max	mpg	23.6		23.0			
	Extra High Phase Max	mpg	21.7		20.9			
	Combined Phase Max	mpg	20.2	2	19.7			
CO ₂ emissions (combined)		g/km	316		325			
Max. speed		mph	196					

Grade		Pure, Recaro [®] , Prestige	Track Edition	NISMO		
WEIGHTS AND DIMENSIONS	1.					
Kerb weight min (2)	kg	1,752	1,745	1,725		
Weight distribution (front/rear)	%	54/46				
Gross Vehicle Weight	kg	2,200				
Max. axle weight front	kg	1,080				
Max. axle weight rear	kg		1,165			
Overall length	mm		4,710	4,690		
Overall width	mm		1,895			
Overall height	mm	1,370				
Wheelbase	mm					
Track width (front)	mm	1,590	1,600			
Track width (rear)	mm	1,600				
Turning circle (wall to wall)	m	12.2				
Coefficient of drag	cd	0.26				
Minimum ground clearance	mm	105				
Luggage space - min./max. length	mm	695/840				
Luggage space - min./max. width	mm	795/1,470				
Luggage space - min./max.height	mm	430/520				
Luggage capacity	1	315				
Fuel tank capacity	I	74				
CHASSIS						
Suspension front		Ir	ndependent double wishbone with aluminium			
Suspension rear		Independent multi-link with aluminium (forged) upper links				
Shock absorbers front		Bilstein adaptive DampTronic Bilstein adaptive Damp		Tronic - NISMO Tuned		
Shock absorbers rear		Bilstein adaptive DampTronic Bilstein adaptive DampTron		onic - NISMO Tuned		
Steering		Electronically cor	ntrolled power rack & pinion with vehicle speed va	ariable assist		
Steering turns - lock to lock		24				
Brakes		Ventilated discs with opposed and cast aluminium caliper (6 pistons for front and 4 pistons for rear) Brembo Carbon Ceramic Bre				
Front brakes diameter and thickness	mm	390 × 32.6		410 x 32.6		
Rear brakes diameter and thickness	mm	380 × 30 390 × 32.6		390 x 32.6		
Tyre type		Dunlop	Sports Max GT 600 DSST CTT run flat-nitrogen fil	led		
Tyre size		255/40/20 (front), 285/35/20 (rear)				
Wheel size		20" x 9.5" (front), 20"x 10.5" (rear) 20" x 10.0" (front), 20" x 10.5" (rear)				

Advertisements placed for WLTP tested petrol/diesel model from 1st January 2019

1) In accordance with 1999/99/EC.

2) Figures in accordance with EC directive. Kerb weight condition is without driver and including coolant, oils, fuel, spare wheel and tools.

3) In accordance with 1999/100/EC. (Optional equipment, maintenance, driving technique, road and weather conditions may affect the official results).

4) WLTP figures shown are for comparability purposes; only compare figures with vehicles tested to the same technical procedures. Actual real world driving results may vary depending on factors such as weather conditions, driving styles, vehicle load or any accessories fitted after registration. WLTP is a new test used for fuel consumption and CO₂ figures however until April 2020 the CO₂ figures are based on the outgoing (NEDC) test cycle which will be used to calculate vehicle tax on first registration.









Nissan. Innovation that excites.

visit our website at: www.nissan.co.uk/GTR

Dealer stamp:

Follow Nissan GTR on:



Every dfor has been made to ensure that the context of this publication is correct at the time of going to press (October 209). This buildness has been produced featuring prototype vehicles exhibited at motor shows. In accordance with the company's policy of continuous) proving its products, hissan Europe reserves the right to change at any time the specification and the vehicles described and shown in this publication. Nessan dealers will be informed of any such modifications as quickly as possible. Pease check with your local hissan dealer will be informed of any such modifications as quickly as possible. Pease check with your local hissan dealer will be informed of any such modifications as quickly as possible. Pease check with your local hissan dealer will be informed of any such modifications as quickly as possible. Pease check with your local hissan future may differ signify from the actual colours of the pant and interior tim materials used. All rights reserved Reverse the right to change at any time the specification in this torchure may differ signify from the actual colours of the pant and interior tim materials used. All rights reserved Reverse the right of the signify from the actual colours of the pant and interior time materials used. All rights reserved Reverse the right of the signify from the actual colours of the pant and interior time materials used. All rights reserved Reverse the right of the signify from the actual colours of the pant and interior time materials used.

Part number 99999-54433. Printed in the UK.



