



Innovation
that excites

NISSAN NT400



5 YEAR
WARRANTY
100,000 MILES

[Introduction](#) | [Exterior design](#) | [Interior design](#) | [Technology & Performance](#) | [Style & Accessories](#) | [Grade and Dimensions](#) | [Technical Specifications](#) | [Price List](#) | [Commitments](#) | [Print](#) | [Close](#)

[REQUEST A TEST DRIVE](#)



LCV AN UNBEATABLE LINEUP



NISSAN

OFFICIAL LIGHT COMMERCIAL VEHICLE
OF THE UEFA CHAMPIONS LEAGUE



At Nissan, we're constantly innovating for your business - coming up with clever new ways to deliver class-leading space and enhanced efficiency, improved versatility and durability, increased cost savings and ease of use. We engineer excitement and innovation round the clock to make your daily routine smoother, your work more fun and keep you ahead of the game. Because nothing beats the feeling of a job done smarter.

[Introduction](#) | [Exterior design](#) | [Interior design](#) | [Technology & Performance](#) | [Style & Accessories](#) | [Grade and Dimensions](#) | [Technical Specifications](#) | [Price List](#) | [Commitments](#) [Print](#) | [Close](#)

[Page 1](#) | [Page 2](#) | [Page 3](#)

[REQUEST A TEST DRIVE](#)



PICK YOUR PLAYER

THE NISSAN NT400 IS THE TOP TRUCK FOR ALL TYPES OF BUSINESSES. Whether you're a large corporate business or an independent enterprise, the NT400 delivers. Combining maximum load space with compact overall dimensions, optimum efficiency with low ownership costs, and unparalleled manoeuvrability both up hills and around corners whatever the weight of your load, it's the one-stop solution for traders of all shapes and sizes. Step into the comfort of your new workplace now!



"For heavy usage, nothing beats the Nissan NT400 and the latest version with its improved payload and reduced fuel consumption has made a real difference to our business."



"As well as our 3 garden centres, we do landscaping and maintenance. That's why we opted for the NT400 with a double 6-seater cab - it can take the weight as well as the whole team, all in total comfort."



"We deliver all over Europe - between 1 and 2,5 tons at a time. Our drivers often find themselves in small streets and hilly towns and the NT400 makes no trouble of it at all. Best truck on the market."



"I joined my father's recycling and restoration business last year and convinced him to invest in two new NT400's: a flatbed and a tipper. The whole process was so easy and the trucks were ready in no time. We haven't looked back since."



CHASSIS CONVERSIONS

Choose your chassis along with single or twin rear wheels according to your payload. The 3.5T variant can take up to 1786kg - the best results in its class.



DOUBLE CAB



SINGLE OR TWIN REAR WHEELS

**UP TO
1,786 KG
PAYLOAD**

3 WHEELBASES
SINGLE AND
TWIN REAR WHEELS



The NT400 Chassis is available with 2.5m, 2.9m and 3.4m wheelbases and 3.4T or 3.5T GVW. The 3.5T GVW version is available with twin rear wheels and also as a double cab.

KEY PERFORMANCE INDICATORS



GENEROUS INSIDE, COMPACT OUTSIDE

ENJOY THE COMFORT. Despite its compact external dimensions, the cab offers you plenty of legroom, headroom and width - and the seats are especially made to offer premium comfort.

- PREMIUM COMFORT SEATS
- 14 STORAGE SPACES

COMPACT
LEADING LOAD/LENGTH RATIO
BOLD DESIGN



TURNING CIRCLE
FROM 9.6 M

ANTI-FATIGUE FOR PROS

REDUCE STRESS AND IMPROVE PERFORMANCE thanks to the NT400's exceptionally small turning circle and helpful technologies like Hill Start Assist: It takes the effort out of truck driving.



HILL START ASSIST
PREVENTS ROLLING BACK ON AN INCLINE.

POWER IN ASCENDANCE

Rise to the top whatever you're hauling: the NT400 Euro 6 engines are tailor-built for LCV use and give you ample power to climb hills while minimizing fuel consumption daily.

- THE ZD 3.0 LITRE develops 130HP/300Nm for 3.4T and 3.5T GVW models.
- THE ZD 3.0 LITRE develops 150HP/350Nm for 3.5T GVW models.



3.4-3.5T
GVW

Up to
1,786 kg
payload

Single &
twin rear
wheels

Single &
double
cab

Three
wheelbases

FOR YOUR BUSINESS, THE SOLUTION IS THE NT400.

THE NT400'S VARIED RANGE means there is a version to suit you, whatever your haulage needs. There are three wheelbases (2.5m, 2.9m and 3.4m) and two power outputs from its EURO6 engines. With engines combining high performance and low fuel consumption, a choice of single or double cabs and a chassis with a wealth of conversion possibilities, choosing NT400 is one of the smartest business decisions you can make, especially when the payload of 3.5t versions is up to 1786kg, one of the best results in its class.

[REQUEST A TEST DRIVE](#)



COMPACT
LEADING LOAD/LENGTH RATIO
BOLD DESIGN



STREAMLINE YOUR PROCESSES

SMART, MODERN AND SPACE-EFFICIENT, THE NT400's advanced design offers a generous cab and extensive load space on a surprisingly short wheel base.

THE NT400's compact body and incredibly spacious interior all mean business: a genuine utility truck designed for work on the road.

[REQUEST A TEST DRIVE](#)






A WELCOMING PLACE TO WORK

THE NT400 is a seriously comfortable place to work. Despite its compact external dimensions, the cab offers you plenty of legroom, headroom and width - and the seats are especially made to offer premium comfort. Extra-large, the screen area also provides exceptional visibility. The overall effect is a more relaxing environment where you'll always feel comfortably in control.

ADD VISION TO YOUR DRIVE

TECHNOLOGICAL INNOVATION makes working on the road easier. The NT400's ultra-clear combimeter displays comprehensive information and includes a multifunctional computer for data on oil levels and oil quality, fuel consumption and mileage up to next refill. Keep your network informed while you're on the road using the NT400's integrated audio entertainment system with Bluetooth and USB connectivity. Manage all your paperwork thanks to 14 intelligent storage spaces: sound ergonomics for efficient business.



A DIESEL PARTICULATE FILTER IS NOW AVAILABLE AS STANDARD EQUIPMENT FOR ALL THE EURO6 ENGINES. BY REDUCING THE NUMBER OF PARTICLES RELEASED, IT MAKES YOUR DELIVERY A WHOLE LOT GREENER. THERE ARE TWO REGENERATION MODES: AUTO REGENERATION AND MANUAL REGENERATION (VIA A SWITCH ON THE DASHBOARD).

Up to
150 PS
350NM



THE KIND OF POWER YOU NEED

ALL THREE ENGINES give you ample power to climb hills even when loaded thanks to its 6-speed transmission. As an alternative to the standard rear axle, you can opt for a short ratio final drive - highly suitable for heavy-goods missions. You can also specify a Limited Slip Differential, which maintains drive even if one of the rear wheels is on a low grip surface, such as ice or mud.

WITH ITS EURO6 3.0 litre engines, the NT400 has pushed the limits in terms of power, torque and economy. Choose from two outputs: 130PS/300Nm or 150PS/350Nm. Particularly quiet and fuel efficient, these advanced engines are tailor-built for LCV use.

ECO MODE IMPROVES COST OF OWNERSHIP. By limiting torque in each gear as well as restricting the top speed of the NT400 to 62 MPH you are able to increase efficiency and save on fuel consumption (up to 6%). This function can be deactivated at the flick of a switch for when you need that extra boost.



A MORE RELAXING DRIVE

ANTI-FATIGUE: reduce stress and improve your performance: the NT400 makes for a smooth ride.

THE NT400 IS EQUIPPED to take the effort out of driving. Its compact dimensions and small turning circle (from 9.6m kerb to kerb, depending on the wheelbase), make it easy to drive and park in confined locations, while independent front suspension and powered rack and pinion steering brings secure handling and a reassuring feel at all speeds.



TURNING CIRCLE



SAFETY THROUGH STRENGTH AND AGILITY

LOOKING OUT FOR YOU AND YOUR CARGO. The NT400 comes with Nissan's latest safety features as standard: 7 technologies that work together to help keep you in control.



VEHICLE DYNAMIC CONTROL.

If loss of steering control is detected in either slippery or dry conditions, VDC applies brake pressure individually to help you stay on track.

HILL START ASSIST.

To prevent you rolling backwards on a slope, HSA maintains brake pressure for an extra 2 seconds after release, giving you time to push the accelerator and take off safely.

TRACTION CONTROL SYSTEM.

To stop the wheels from spinning, TCS applies brake pressure individually and limits engine torque at the same time.

ANTI-LOCK BRAKING SYSTEM.

During excessive braking, ABS prevents wheel lock up by reducing brake force on any wheel rotating slower than the others.

ELECTRONIC BRAKEFORCE DISTRIBUTION.

EBD supports ABS by controlling front-to-rear brake bias to avoid over braking on the rear axle and maintain stability.

BRAKE ASSIST SYSTEM.

BAS analyses the speed and force with which the brake pedal is pushed and ensures full brake pressure is applied in emergency situations before ABS takes over.

All of these active safety measures are supported by effective passive features. The NT400's reinforced cabin structure is protected by a sturdy shock-absorbing front bumper, for car-like safety performance. Independent tests have shown that the NT400's safety level is equal to that of a passenger car in frontal impacts. Both cabin doors are fitted with anti-intrusion bars, bringing maximum solidity to the NT400's tough protective shell.

WELCOME ABOARD DOUBLE CAB

WHEN EXTRA HELP IS NEEDED, the NT400 is ready with a double cab version. With large doors and conveniently mounted steps for easy entry and exit, the double cab carries six people in comfort. To enjoy year-round comfort, you can select a separate rear heater with a two-speed fan. And if you need to carry your tools or other loads in the cab, the rear seat folds to provide extra space.



6 | Seats
easy access








ORGANISED AND EFFECTIVE



A **TIDY, ORGANISED CAB** is more welcoming and safer, so we've equipped NT400 with up to 14 separate storage spaces. These include an A4 document space ahead of the combimeter, a central cooled compartment that can take cans or small bottles, a separate glovebox, cooled or heated cup holders for the driver and passenger, roof storage and a spacious new tray-box tucked behind the central passenger seat which folds down for easy access and to become a useful side table.



3 WHEELSBASES



SINGLE AND DOUBLE CAB



SINGLE AND TWIN REAR WHEELS




NT400 CHASSIS

AVAILABLE in 3.4T and 3.5T GVW variants, with 2.5m, 2.9m and 3.4m wheelbases, single or twin rear wheels and single or double cabs, the NT400 offers a truly comprehensive choice to suit your application.



1



2 3



4



5

FEATURES & OPTIONS*

- 1. The bluetooth® radio/CD system** with AUX and USB sockets, mp3 compatibility and handsfree telephone functionality keeps you in touch.
- 2. The on-board computer** keeps you informed. The OCS (Oil Change Supervisor) checks oil quality and indicates mileage available before the next oil change. Other key indicators include average and instantaneous fuel economy, remaining fuel, accumulated time and distance, average speed, a maintenance warning, a shift up signal for optimum gear changes, a trip meter and a digital clock.
- 3. Keyless entry** allows the cab doors to be locked/unlocked by remote control.
- 4. Air conditioning (Optional extra)**
- 5. Front power windows** with driver's one-touch control and anti-trap sensing device are standard on the NT400.

ACCESSORIES*

Our range of genuine accessories is the logical extension of the NT400's versatility. These accessories are specifically designed to complement the NT400, so you can be sure they'll provide long and dependable service.

- 1. Flanged Towbar****
- 2. Mats, standard and rubber**
- 3. Safety Kit**



1

2



3



*Options and accessories available at extra cost
**Flanged Towbar is not compatible with Tipper Body Type

WHY THE NT400 IS BETTER FOR BUSINESS

NISSAN NT400's are renowned for their high residual values. Businesses find them a more cost-effective, dependable proposition because, as well as having class-leading load capacity, their EURO6 engines are more efficient in terms of both fuel consumption and CO₂ emissions, making for longer range with fewer stops. There's also less downtime with the NT400 thanks to long (up to 25,000 miles/24 months) service intervals – and servicing is made easier too thanks to a standard tilt cab that allows quick and easy access to the engine and gearbox. Last but not least, the NT400's special conversion features, including bodybuilder switches and connectors, make it simple and easy to install new or different conversions.



NT400

NT400 GRADES

Maximum efficiency with an advanced functional interior, the NT400 offers comfort at a reduced cost of ownership. What more could your business need? Available in three wheelbases and with a choice of a three-seat single cab or a six-seat double cab, the NT400 can be specified as a Dropside, Tipper or Chassis cab ready for conversion. Each model is equipped with a refined Common Rail diesel engine, and with a 6-speed manual gear box.

Key features that come as standard.

SAFETY AND SECURITY

- Driver airbag
- LED Daytime Running Lights
- Keyless Entry
- Thatcham approved alarm system
- Immobiliser
- Front Bumper with Shock absorber
- Lockable tilting cabin system**
- Reinforced cabin structure
- Front Fog Lamps
- Seatbelts with pretensioners
- Spare wheel and wheel lock
- E-type rear bumper
- Wheel cover
- Interior dazzle mirror
- Electronic Stability Programme (ESP)
- One touch front windows
- Nissan Anti-Theft System

COMFORT AND CONVENIENCE

- AM/FM/CD audio system
- Bluetooth® telephone integration
- AUX socket for MP3 Player
- USB port
- Multi display combimeter
- Front electric windows

TRANSMISSION

- 6 speed manual

INTERIOR

- Black upper dashboard and seat trim
- 14 separate storage compartments

OPTIONS*

- Metallic Paint
- Front air conditioning

34.13 SWB

ENGINE

- 3.0dCi 130 6-speed manual

3.4T BODY OPTIONS

- Chassis
- Tipper
- Dropside

35.15 SWB

IN ADDITION TO 34.13

SAFETY AND SECURITY

- Limited slip differential
- Reinforced rear suspension

ENGINE

- 3.0dCi 150 6-speed manual

3.4T BODY OPTIONS

- Chassis
- Tipper
- Dropside

*Options available at additional cost
**Not available on double cab

NT400 GRADES

MWB

IN ADDITION TO 35.15

SAFETY AND SECURITY

- Speed limiter

COMFORT AND CONVENIENCE

- Power and heated mirrors
- Rear heater (Double cab versions)
- High capacity battery (110 Ah/12V)

ENGINE

- 3.0dCi 150 6-speed manual

3.5T BODY OPTIONS

- Chassis
- Tipper
- Dropside

LWB

IN ADDITION TO MWB

COMFORT AND CONVENIENCE

- Upper seat cloth trim
- Interior trim on back panel pillars (Single cab version)

3.5T BODY OPTIONS

- Chassis
- Tipper (Double cab only)
- Dropside (Single cab only)

COLOURS



White
326 / S



Silver
KYO / M



Red
Z10 / S




Grey
K51 / M

S: SOLID
M: METALLIC

TRIMS



UPPER
seats trim





STANDARD
seats trim

NT400 DIMENSIONS

CHASSIS

BODY	SINGLE CAB				DOUBLE CAB					
	3.0 dCi 130	3.0 dCi 150			3.0 dCi 150		3.0 dCi 150			
ENGINE	3.0 dCi 130	3.0 dCi 150			3.0 dCi 150		3.0 dCi 150			
MODEL	34.13	35.13			35.15		35.13DC			
WHEELBASE	SWB	SWB	MWB	LWB	LWB	MWB	LWB	LWB		
ENGINE										
Maximum engine power (PS(kW)@rpm)	130(96)@3400				150(110) @ 3400		130(96)@3400		150(110)@3400	
Maximum engine torque (Nm@rpm)	300@1100-3000				350@1200-2800		300@1100-3000		350@1200-2800	
Engine Description	Turbo Diesel, 2953 cc, 4 cylinders in line									
Emission control system	SCR system + EGR + DOC + DPF									
TRANSMISSION										
Transmission	6-speed Manual Transmission									
CHASSIS										
Frame type	C-Section steel, longitudinal side members (128 x 52 x 4 mm) and riveted cross members									
Steering	Rack & Pinion, Power Assisted diameter 32									
Turning radius, wall to wall (m)	5.28 - 6.74				5.96 - 6.77					
Turning radius, curb to curb (m)	4.79 - 6.25				5.47 - 6.27					
WHEELS AND TYRES										
Rear Wheel	Single Wheels	Twin Wheels			Twin Wheels					
Tyre size	205/70 R15	195/70 R15			195/70 R15					
CHASSIS CAB DIMENSIONS (mm)										
Overall height	2096	2093			2123		2125			
Wheelbase	2500 - 3400				2900 - 3400					
Max Overall length (complete vehicle)	6625	6625	7285	8110	8110	7285	8110	8110		
Overall length	6183	6183	6883	7683	7683	6883	7683	7,683		
Overall width, excl. Mirrors (Door to door)	1848									
WEIGHTS (kg)										
Gross Vehicle Weight	3400	3500			3500					
Kerb weight	1694	1714 - 1746			1787					
Payload	1706	1754 - 1786			1558 1622					
Max. trailer weight (braked)	2000				3500					

*Depending on wheelbase
**Depending on wheelbase and body installed




NT400 DIMENSIONS

ALUMINIUM TIPPER

SINGLE CAB 15" WHEELS - TWIN REAR WHEEL

		SWB	MWB
IMAGE REFERENCE	MODEL	3513	
WB	Wheelbase	2500	2900
H1	Height	2210	
H2	Ground to tipper base	862	885
H3	Tipper height	400	
Foh	Front overhang	1063	
Roh	Rear overhang	1450	1534
LC	External body length	3280	3700
SC	Tipper overhang	158	172
IC	Front axle to rear body	670	734
LT	Total body length	5013	5497
CW	Cabin width excl. mirrors	1870	
MW	Cabin width incl. mirrors (short arms/long arms)	2265 / 2529	
AC	External rear body width	1900	
VD	Front track	1573	
VT	Rear track	1396	
RW	Rear axle width	1808	
Y	Centre of gravity to rear axle	190	316
IS	Front axle to side guard protection*	575	573
RS	Rear axle to side guard protection*	495	506
LP	Side guard protection length*	1430	1821
Gross Vehicle Weight (GVW) (Plated weights)	Total	3500	
	Fr axle	1750	
	RR axle	2200	
Max. Trailer weight (Towing capacity)		3500	
Kerb Weight**	Total	2276	2333
	Fr axle	1271	1306
	RR axle	1005	1027
Payload		1224	1167




*Side guard protection not available on all models

**Kerb weight refers to vehicle with standard equipment, with rear body, without driver, full fuel tank and tool kit

ALUMINIUM TIPPER

DOUBLE CAB 15" WHEELS - TWIN REAR WHEEL

		MWB	LWB
IMAGE REFERENCE	MODEL	3513	
WB	Wheelbase	2900	3400
H1	Height	2235	
H2	Ground to tipper base	881	887
H3	Tipper height	400	
Foh	Front overhang	1063	
Roh	Rear overhang	1900	1950
LC	External body length	3150	3700
SC	Tipper overhang	308	228
IC	Front axle to rear body	1650	
LT	Total body length	5863	6413
CW	Cabin width excl. mirrors	1870	
MW	Cabin width incl. mirrors (short arms/long arms)	2265 / 2529	
AC	External rear body width	1900	
VD	Front track	1573	
VT	Rear track	1396	
RW	Rear axle width	1808	
Y	Centre of gravity to rear axle	-325	-100
IS	Front axle to side guard protection*	1464	1466
RS	Rear axle to side guard protection*	504	694
LP	Side guard protection length*	952	1240
Gross Vehicle Weight (GVW) (Plated weights)	Total	3500	
	Fr axle	1750	
	RR axle	2200	
Max. Trailer weight (Towing capacity)		3500	
Kerb Weight**	Total	2424	2480
	Fr axle	1259	1315
	RR axle	1165	
Payload		1076	1020



*Side guard protection not available on all models


**Kerb weight refers to vehicle with standard equipment, with rear body, without driver, full fuel tank and tool kit

NT400 DIMENSIONS

DROPSIDE

SINGLE CAB 15" WHEELS - SINGLE REAR WHEEL

IMAGE REFERENCE	MODEL	3413
WB	Wheelbase	2500
H1	Height	2096
H2	Ground to tipper base	891
H3	Tipper height	400
Foh	Front overhang	1063
Roh	Rear overhang	1587
LC	External body length	3400
SC	Tipper overhang	295
IC	Front axle to rear body	687
LT	Total body length	5150
CW	Cabin width excl. mirrors	1870
MW	Cabin width incl. mirrors (short arms/long arms)	2265 / 2529
AC	External rear body width	1900
V	Capacity (No. Europallets)	5
VD	Front track	1586
VT	Rear track	1518
RW	Rear axle width	1730
Y	Centre of gravity to rear axle	785
IS	Front axle to side guard protection*	571
RS	Rear axle to side guard protection*	543
LP	Side guard protection length*	1386
Gross Vehicle Weight (GVW) (Plated weights)	Total	3400
	Fr axle	1750
	RR axle	1900
Max. Trailer weight (Towing capacity)		2000
Kerb Weight**	Total	1988
	Fr axle	1262
	RR axle	726
Payload		1412




*Side guard protection not available on all models

**Kerb weight refers to vehicle with standard equipment, with rear body, without driver, full fuel tank and tool kit

DROPSIDE

DOUBLE CAB 15" WHEELS - TWIN REAR WHEEL

IMAGE REFERENCE	MODEL	3513
WB	Wheelbase	2900
H1	Height	2123
H2	Ground to tipper base	881
H3	Tipper height	400
Foh	Front overhang	1063
Roh	Rear overhang	1942
LC	External body length	3160
SC	Tipper overhang	350
IC	Front axle to rear body	1682
LT	Total body length	5905
CW	Cabin width excl. mirrors	1870
MW	Cabin width incl. mirrors (short arms/long arms)	2265 / 2529
AC	External rear body width	1900
V	Capacity (No. Europallets)	4
VD	Front track	1573
VT	Rear track	1396
RW	Rear axle width	1808
Y	Centre of gravity to rear axle	-362
IS	Front axle to side guard protection*	1729
RS	Rear axle to side guard protection*	543.5
LP	Side guard protection length*	627.5
Gross Vehicle Weight (GVW) (Plated weights)	Total	3500
	Fr axle	1750
	RR axle	2200
Max. Trailer weight (Towing capacity)		3500
Kerb Weight**	Total	2152
	Fr axle	1302
	RR axle	850
Payload		1348



*Side guard protection not available on all models


**Kerb weight refers to vehicle with standard equipment, with rear body, without driver, full fuel tank and tool kit

NT400 DIMENSIONS


DROPSIDE

SINGLE CAB 15" WHEELS - TWIN REAR WHEEL


		SWB	MWB	LWB	LWB
IMAGE REFERENCE	MODEL	3513			3515
WB	Wheelbase	2500	2900	3400	3400
H1	Height	2093			
H2	Ground to tipper base	862	885	891	
H3	Tipper height	400			
Foh	Front overhang	1063			
RoH	Rear overhang	1567	1737	2137	2137
LC	External body length	3400	3950	4550	4550
SC	Tipper overhang	295	145	245	245
IC	Front axle to rear body	687			
LT	Total body length	5150	5700	6600	6600
CW	Cabin width excl. mirrors	1870			
MW	Cabin width incl. mirrors (short arms/long arms)	2265 / 2529			
AC	External rear body width	1900			
V	Capacity (No. Europallets)	5	6	7	7
VD	Front track	1573			
VT	Rear track	1396		1394	
RW	Rear axle width	1808			
Y	Centre of gravity to rear axle	113	238	288	288
IS	Front axle to side guard protection*	571			
RS	Rear axle to side guard protection*	543			
LP	Side guard protection length*	1386	1786	2286	2286
Gross Vehicle Weight (GVW) (Plated weights)	Total	3500			
	Fr axle	1750			
	RR axle	2200			
Max. Trailer weight (Towing capacity)		3500			
Kerb Weight**	Total	2003	2016	2035	2076
	Fr axle	1262	1289	1312	1322
	RR axle	741	727	723	754
Payload		1497	1484	1465	1424




SWB



MWB



LWB



DOUBLE CAB



*Side guard protection not available on all models

**Kerb weight refers to vehicle with standard equipment, with rear body, without driver, full fuel tank and tool kit

NT400 TECHNICAL DATA

NT400		Euro 6					
EMISSIONS CLASS		Euro 6					
BODY		Single Cab					
REAR WHEEL		SINGLE RR WHEEL 15"		TWIN RR WHEEL 15"			
ENGINE		3.0 dCi 130		3.0 dCi 150			
TRANSMISSION		6MT					
GVW (kg)		3400		3500			
MODEL		3413		3513			
WHEELBASE		2.5		2.9		3.4	
ENGINE PERFORMANCE							
Maximum engine power		PS(kw)@rpm		130(96)@3400		150(110)@3400	
Maximum engine torque		Nm@rpm		300@1100-3000		350@1200-2800	
No. of cylinders / Valves per cylinder		4 / 4					
Air intake system		Turbo intercooler					
Control system		ECCS					
Engine displacement		cc					
Bore x Stroke		mm					
Compression ratio		15.5					
Fuel type		Diesel					
Fuel supply		Direct injection + Common rail					
Emission control system		SCR system + EGR + DOC + DPF					
Electrical system		V					
Starter		Kw					
Alternator		Amps					
TRANSMISSION SPECIFICATION							
Clutch type		Dry, single plate, hydraulic control					
Gear Ratio		1st		5.538			
		2nd		3.099			
		3rd		1.956			
		4th		1.360			
		5th		1.000			
		6th		0.723			
		Rev		5.023			
PTO provision		YES (Right side)					
Final Drive Ratio		3.54		4.111			

		Euro 6					
		Single Cab			Double Cab		
		TWIN RR WHEEL 16"			TWIN RR WHEEL 15"		
		3.0 dCi 130		3.0 dCi 150			
		6MT					
		3500		3500			
		35HD.13		35.13DC		35.15DC	
		2.9		3.4		3.4	
		130(96)@3400		130(96)@3400		150(110)@3400	
		300@1100-3000		300@1100-3000		350@1200-2800	
		4 / 4					
		Turbo intercooler					
		ECCS					
		2953					
		96 x 102					
		15.5					
		Diesel					
		Direct injection + Common rail					
		SCR system + EGR + DOC + DPF					
		12					
		12V - 2.5 Kw					
		150					
TRANSMISSION SPECIFICATION							
		Dry, single plate, hydraulic control					
		5.538		5.538			
		3.099		3.099			
		1.956		1.956			
		1.360		1.360			
		1.000		1.000			
		0.723		0.723			
		5.023		5.023			
		YES (Right side)					
		4.375		3.54		4.111	

NT400 TECHNICAL DATA

NT400					
CHASSIS					
			Single Cab		
			SINGLE RR WHEEL 15"	TWIN RR WHEEL 15"	
Frame Type			C-Section steel, longitudinal side members and riveted cross members		
Frame width	mm		752		
Section	mm		128 x 52 x 4		
Front Suspension			Independent (model F-IDW17), Double Wishbone with one transversal leaf, with shock absorbers and stabilizer bar (diameter 26mm). Front suspension capacity 1750kg		
Rear Suspension	Type		Parabolic leaf spring with shock absorbers and stabilizer bar (diameter 25mm)		
	Model		R-PLS22		
	Capacity	Kg	2200		
	Option		N/A	Reinforced Parabolic Springs	
Steering			Rack & Pinion, Power Assisted diameter 32		
Turning radius, wall to wall	m		5.29	5.28	5.92
Turning radius, curb to curb	m		4.81	4.79	5.43
Brakes System			Dual hydraulic circuit with vacuum servo assistance (ABS standard)		
Actuator			Vacuum (8+9) Ø 17/16"		
Front type			Ventilated discs PF 2x48 Øef=231mm		
Rear type			Solid discs PF1x46 Øef=238mm		
Parking			Central Drum Brake (In gear box output)		
Brake Modulation System			VDC (ABS+EBD+TCS+HSA+BAS)		
Wheels size	Front		5 1/2 J15, single	5 J15, single	
Wheels Size	Rear		5 1/2 J15 Single	5 J15 twin	
Wheels bolts			6xM16		
Tyre size			205/70R15	195/70R15	
FUEL CONSUMPTION					
Fuel Tank Capacity		ltrs	90, left side		
Fuel consumption Urban/ Extra Urban/ Combined	Final drive ratio Std	ltrs	104 / 79 / 8,9	10,6 / 8,2 / 9,1	12,3 / 9,0 / 10,3
	Final drive ratio Opt		11,5 / 8,4 / 9,5	12,1 / 8,6 / 9,9	N/A
CO2 Emissions Urban/ Extra Urban/ Combined	Final drive ratio Std		272 / 209 / 233	279 / 215 / 239	323 / 238 / 270
	Final drive ratio		301 / 221 / 251	317 / 228 / 261	N/A
PERFORMANCE					
Maximum speed		km/h	Dry, single plate, hydraulic control		
rpm engine at 90 Km/h			5,538		
Max ascending grade		%	3,099		
Max starting ascending grade		%	1,956		
Clutch type			1,360		
Gear Ratio			1,000		
			0,723		
			5,023		
PTO provision			YES (Right side)		
Final Drive Ratio			3,54	4,111	

NT400										
CHASSIS										
			Single Cab			Double Cab				
			TWIN RR WHEEL 16"			TWIN RR WHEEL 15"		TWIN RR WHEEL 16"		
Frame Type			C-Section steel, longitudinal side members and riveted cross members							
Frame width			752							
Section			128 x 52 x 4							
Front Suspension			Independent (model F-IDW17), Double Wishbone with one transversal leaf, with shock absorbers and stabilizer bar (diameter 26mm). Front suspension capacity 1750kg							
Rear Suspension	Type		Parabolic leaf spring with shock absorbers and stabilizer bar (diameter 25mm)							
	Model		R-PLS32		R-PLS22		R-PLS32			
	Capacity	Kg	3200		2200		3200			
	Option		Progressive Suspension bound			Reinforced Parabolic Springs				
Steering			Rack & Pinion, Power Assisted diameter 32							
Turning radius, wall to wall			5,94	6,74	5,94	6,74	5,96	6,77	6,76	
Turning radius, curb to curb			5,43	6,23	5,43	6,23	5,47	6,27	6,25	
Brakes System			Dual hydraulic circuit with vacuum servo assistance (ABS standard)							
Actuator			Vacuum (8+9) Ø 9/8"							
Front type			Ventilated Discs, PF 2 x 52, Øef= 234,6			Ventilated discs PF 2x48 Øef=231mm				
Rear type			Ventilated Discs, PF 2 x 44 Øef= 241			Solid discs PF1x46 Øef=238mm				
Parking			Central Drum Brake (In gear box output)							
Brake Modulation System			VDC (ABS+EBD+TCS+HSA+BAS)							
Wheels size			5 1/2 J 16, single		5 J15, single		5 1/2 J 16, single			
Wheels Size			5 1/2 J 16, twin		5 J15 twin		5 1/2 J 16, twin			
Wheels bolts			6 x M18			6 x M16		6 x M18		
Tyre size			185/75 R 16		195/70R15		185/75 R 16			
FUEL CONSUMPTION										
Fuel Tank Capacity			90, left side							
Fuel consumption Urban/ Extra Urban/ Combined			12,8 / 9,1 / 11,1	-	10,6 / 8,2 / 9,1	12,3 / 9,0 / 10,3	-	-	-	
			N/A	-	12,1 / 8,6 / 9,9	N/A	-	-	-	
CO2 Emissions Urban/ Extra Urban/ Combined			336 / 241 / 276	-	279 / 215 / 239	336 / 241 / 276	-	-	-	
			N/A	-	317 / 228 / 261	N/A	-	-	-	
PERFORMANCE										
Maximum speed			Dry, single plate, hydraulic control							
rpm engine at 90 Km/h			5,538							
Max ascending grade			3,099							
Max starting ascending grade			1,956							
Clutch type			1,360							
Gear Ratio			1,000							
			0,723							
			5,023							
PTO provision			YES (Right side)							
Final Drive Ratio			4,375		3,54	4,111	4,375			

NISSAN LCV 5 YEAR MANUFACTURER WARRANTY

NISSAN now offers a standard 5 Year Pan-European Manufacturer Warranty on the whole LCV range*. This is much more than just a warranty as it includes:



- 5 Year or 100,000 miles bumper-to-bumper protection
- 5 Year Paintwork Warranty – covering the body paint
- 5 Year NISSAN Genuine Parts & Accessories Warranty
- 5 Year Roadside Assistance
- 6 Year Corrosion Warranty on NT400
- Fully transferable

And with service intervals at 2 Years or 25,000 miles on the NT400, you'll not only have 5 years' peace of mind but also low running costs into the bargain.



AT NISSAN, YOU BRING OUT THE BEST IN US.

You spark our imagination. You provoke our ingenuity. You inspire us to change the rules and innovate. And at Nissan, innovation is not just about additions and extensions; it's about crossing the line to reinvent the status quo. It's about developing unexpected solutions to satisfy your wildest and most pragmatic desires. At Nissan, we design vehicles, accessories and services that break the mould - making the practical exciting and the exciting practical to offer you a more exhilarating driving experience everyday.

*The Basic Vehicle Warranty for e-NV200, according to 3.1 of the Warranty Booklet and Maintenance Record, is extended to 5 years (from the warranty start date) / 60,000 miles (whichever comes first). Only vehicles registered on or after 1st November 2016 are eligible for the Extended Warranty. Body parts and paint excluded during year four and year five. Terms and exclusions apply, for further information please see Extended Warranty Terms and Conditions. Apart from the afore-mentioned, all warranty conditions included in the Warranty Booklet and Maintenance Record remain unchanged. Issuer of this Extended Warranty is Nissan International Insurance Ltd.

CUSTOMER SERVICES



SPECIALISED LCV NETWORK

NISSAN provides a specialised network of LCV dealerships to support your specific commercial vehicle requirements:

- Pan-European coverage
- Dedicated LCV Sales & After Sales staff
- Competitive financing solutions
- Tailor made conversions offer
- Competitive extended warranty offers to go even beyond NISSAN LCV 5 Year Warranty.
- Test drive your choice



AFTERSALES SERVICES

If your car breaks down, it's inconvenient. If your van breaks down, it's a serious blow to your business. Even time allowed for servicing is downtime, when your van isn't earning its keep. At Nissan, we understand these hard business facts. So we do the best to ensure that your van stays where it belongs – working for you, on the road.



NISSAN SERVICE CONTRACTS

Together, you and your Nissan dealer can establish a Nissan Service Contract which provides Service and Maintenance cover for the mileage and period that suits your business best. Giving you true peace of mind, this Contract will ensure that your NT400 is cared for by dedicated Nissan technicians.



5 YEAR ROADSIDE ASSISTANCE

- Pan-European coverage for breakdowns, accidents, non-warrantable incidents (such as flat tyres, lost keys, wrong fuel...)
 - 24/7, 365 day
 - Emergency Call Centre
 - Prompt roadside assistance
- If this is not possible and your vehicle is still immobilised after a few hours, we will make sure you are provided with a courtesy vehicle as soon as possible or if necessary, overnight accommodation and travel to your onward destination or back to your base. We will also recover your immobilised vehicle.

DPF FILTER

WHAT IS A DPF?

A **DIESEL PARTICULATE FILTER (DPF)** forms part of the vehicle's exhaust in order to limit the amount of soot particles contained within the exhaust gas passing into the atmosphere.

When the amount of soot in the filter reaches a specific level, this needs to be reduced in order to maintain the filter's function.

This reduction is called '**REGENERATION**' and is carried out by the vehicle's electronic control system which raises the exhaust gas temperatures during normal driving. If a vehicle requires frequent regeneration due to driving style, these high temperatures cause the engine oil to degrade more quickly.

However, from 2011 onwards Nissan vehicles were fitted with an **OIL CHANGE SUPERVISOR (OCS)** as well as a DPF to help monitor the condition of the oil and ensure the quality never falls below a minimum level.

WHAT IF I ONLY DRIVE SHORT JOURNEYS?

If the vehicle is only driven for short journeys, or at low speed, then it may not be possible for regeneration to occur. In this situation, the below warning lights will be illuminated on your dashboard.



Please refer to your Owner's Manual for further information.

After seeing these warning lights you need to drive, as soon as possible, above 40mph until the light goes out. This can take up to 30 minutes depending on the amount of soot collected in the filter.

WHAT IF I IGNORE THEM?

If you continue to drive at low speeds the exhaust gas temperatures cannot rise, so regeneration cannot occur. In this instance, a combination of the below warning lights will be illuminated on your dashboard.



In this case, and in order to protect the engine and DPF Filter, the vehicle will require '**SERVICE REGENERATION**' which can only be carried out by a workshop equipped with Nissan diagnostic equipment. You will need to go to your nearest Nissan dealer in case the oil and filter needs to be replaced.

As '**SERVICE REGENERATION**' is not a manufacturing fault, so the cost will **NOT** be covered under warranty.





[Introduction](#) | [Exterior design](#) | [Interior design](#) | [Technology & Performance](#) | [Style & Accessories](#) | [Grade and Dimensions](#) | [Technical Specifications](#) | [Price List](#) | [Commitments](#) | [Print](#) | [Close](#)

[NT400 Model and option prices](#) | [Further Information](#)

[REQUEST A TEST DRIVE](#)



NT400 CHASSIS

Body	Rear Wheels	GVW (kgs)	Version	Cab	Wheelbase	Engine	Transmission	Basic Price £	VED + FRF £	CV OTR (ex. VAT) £
Chassis	Single	3,400	34.13	Single	SWB	3.0dCi 130	6 manual	22,280	305	22,585
Chassis	Twin	3,500	35.13	Single	SWB	3.0dCi 130	6 manual	22,310	305	22,615
Chassis	Twin	3,500	35.13	Single	MWB	3.0dCi 130	6 manual	23,260	305	23,565
Chassis	Twin	4,500	45.15	Single	MWB	3.0dCi 150	6 manual	25,260	220	25,480
Chassis	Twin	3,500	35.13	Double	MWB	3.0dCi 130	6 manual	24,260	305	24,565
Chassis	Twin	3,500	35.13	Single	LWB	3.0dCi 130	6 manual	23,660	305	23,965
Chassis	Twin	3,500	35.15	Single	LWB	3.0dCi 150	6 manual	24,260	305	24,565
Chassis	Twin	4,500	45.15	Single	LWB	3.0dCi 150	6 manual	25,660	220	25,880
Chassis	Twin	3,500	35.13	Double	LWB	3.0dCi 130	6 manual	24,910	305	25,215
Chassis	Twin	3,500	35.13	Double	LWB	3.0dCi 150	6 manual	25,510	305	25,815
Chassis	Twin	4,500	45.15	Double	LWB	3.0dCi 150	6 manual	26,910	220	27,130
High Payload Chassis	Twin	3,500	35.13	Single	MWB	3.0dCi 130	6 manual	23,680	305	23,985
High Payload Chassis	Twin	3,500	35.13	Single	LWB	3.0dCi 130	6 manual	24,080	305	24,385

The Basic Price excludes VAT but includes delivery to the dealership and number plates. CV On The Road Price excludes VAT but includes delivery to the dealership, number plates, 12 months Vehicle Excise Duty (£250 or £165 for 4.5T variants) and Government First Registration Fee of £55.

NT400 DROPSIDE

Rear Wheels	GVW (kgs)	Version	Cab	Wheelbase	Engine	Transmission	Basic Price £	VED + FRF £	CV OTR (ex. VAT) £
Single	3,400	34.13	Single	SWB	3.0dCi 130	6 manual	23,580	305	23,885
Twin	3,500	35.13	Single	SWB	3.0dCi 130	6 manual	23,610	305	23,915
Twin	3,500	35.13	Single	MWB	3.0dCi 130	6 manual	24,760	305	25,065
Twin	3,500	35.13	Double	MWB	3.0dCi 130	6 manual	25,560	305	25,865
Twin	3,500	35.13	Single	LWB	3.0dCi 130	6 manual	25,360	305	25,665
Twin	3,500	35.13	Double	LWB	3.0dCi 130	6 manual	26,410	305	26,715
Twin	3,500	35.15	Single	LWB	3.0dCi 150	6 manual	25,960	305	26,265

The Basic Price excludes VAT but includes delivery to the dealership and number plates. CV On The Road Price excludes VAT but includes delivery to the dealership, number plates, 12 months Vehicle Excise Duty (£250 or £165 for 4.5T variants) and Government First Registration Fee of £55.

NT400 TIPPER

Rear Wheels	GVW (kgs)	Version	Cab	Wheelbase	Engine	Transmission	Basic Price £	VED + FRF £	CV OTR (ex. VAT) £
Twin	3,500	35.13	Single	SWB	3.0dCi 130	6 manual	25,310	305	25,615
Twin	3,500	35.13	Single	MWB	3.0dCi 130	6 manual	26,460	305	26,765
Twin	3,500	35.13	Double	MWB	3.0dCi 130	6 manual	27,460	305	27,945

The Basic Price excludes VAT but includes delivery to the dealership and number plates. CV On The Road Price excludes VAT but includes delivery to the dealership, number plates, 12 months Vehicle Excise Duty (£250 or £165 for 4.5T variants) and Government First Registration Fee of £55.

NT400 OPTIONS

	3.4T	3.5T	4.5T	Basic Price £
Metallic paint	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	375
Digital Tachograph*	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	450
Air Conditioning	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	700
Tow Bar and Electrics*	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	511
Waterproof Front Seat Covers (MY14 onwards)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	121

Basic Price excludes VAT.

*Digital tachograph is recommended for towing when the GTW is above 3500kg to meet EU and UK legislation.

Dealer fit option prices include fitting but are only a guide. Please check with your local Nissan dealer for exact prices.

*Prices from £510.93. Other towbars and electric kits are available. Towbars may not be compatible with all conversions. Please speak to your local dealer for more information.

Factory Option - Standard - Dealer Fit Option -

NISSAN LCV WARRANTY

NV200

NISSAN LCV 5 YEAR MANUFACTURER WARRANTY

NISSAN now offers a standard 5 Year Pan-European Manufacturer Warranty on its whole LCV range*. This is much more than just a warranty as it includes:



- 5 Year or 100,000 miles bumper-to-bumper protection
- 5 Year Paintwork Warranty – covering the body paint
- 5 Year NISSAN Genuine Parts & Accessories Warranty
- 5 Year Roadside Assistance
- 12 Year Corrosion Warranty on NV200
- Fully transferable

And with service intervals at 1 Year or 18,000 miles on the NV200, you'll not only have 5 years' peace of mind but also low running costs into the bargain.

NV300

NISSAN LCV 5 YEAR MANUFACTURER WARRANTY

NISSAN now offers a standard 5 Year Pan-European Manufacturer Warranty on its whole LCV range*. This is much more than just a warranty as it includes:



- 5 Year or 100,000 miles bumper-to-bumper protection
- 5 Year Paintwork Warranty – covering the body paint
- 5 Year NISSAN Genuine Parts & Accessories Warranty
- 5 Year Roadside Assistance
- 12 Year Corrosion Warranty on NV300
- Fully transferable

And with service intervals at 2 Years or 25,000 miles on the NV300, you'll not only have 5 years' peace of mind but also low running costs into the bargain.

NV400

NISSAN LCV 5 YEAR MANUFACTURER WARRANTY

NISSAN now offers a standard 5 Year Pan-European Manufacturer Warranty on its whole LCV range*. This is much more than just a warranty as it includes:



- 5 Year or 100,000 miles bumper-to-bumper protection
- 5 Year Paintwork Warranty – covering the body paint
- 5 Year NISSAN Genuine Parts & Accessories Warranty
- 5 Year Roadside Assistance
- 12 Year Corrosion Warranty on NV400
- Fully transferable

And with service intervals at 2 Years or 25,000 miles on the NV400, you'll not only have 5 years' peace of mind but also low running costs into the bargain.

NT400

NISSAN LCV 5 YEAR MANUFACTURER WARRANTY

NISSAN now offers a standard 5 Year Pan-European Manufacturer Warranty on its whole LCV range*. This is much more than just a warranty as it includes:



- 5 Year or 100,000 miles bumper-to-bumper protection
- 5 Year Paintwork Warranty – covering the body paint
- 5 Year NISSAN Genuine Parts & Accessories Warranty
- 5 Year Roadside Assistance
- 6 Year Corrosion Warranty on NT400
- Fully transferable

And with service intervals at 2 Years or 25,000 miles on the NT400, you'll not only have 5 years' peace of mind but also low running costs into the bargain.

NISSAN CARE WARRANTY

• Provides protection on top of the New Vehicle Warranty (5yr/100k mile) for the following models.

Duration	Navara		NV200		NV300		NV400		NT400 Cabstar	
	Retail exc. VAT £	Retail inc. VAT £	Retail exc. VAT £	Retail inc. VAT £	Retail exc. VAT £	Retail inc. VAT £	Retail exc. VAT £	Retail inc. VAT £	Retail exc. VAT £	Retail inc. VAT £
5 Years up to 125,000 Miles (+25,000 miles)	825	990	700	840	883	1,060	1067	1280	1383	1660
5 Years up to 150,000 Miles (+50,000 miles)	1042	1,250	875	1050	1,108	1,330	1333	1600	1742	2090
5 Years up to 200,000 Miles (+100,000 miles)	-	-	-	-	-	-	1875	2250	-	-
6 Years up to 125,000 Miles (+1 Year / 25,000 miles)	933	1,120	783	940	992	1,190	1200	1440	1567	1880
6 Years up to 150,000 Miles (+ 1 Year / 50,000 miles)	1,175	1,410	992	1190	1,250	1,500	1508	1810	1967	2360
6 Years up to 200,000 Miles (+ 1 Year / +100,000 miles)	1,642	1,970	1375	1650	1,758	2,110	2125	2550	2783	3340

NISSAN VAN INSURANCE

Nissan Insurance has been designed to help Nissan drivers get the most from their cover, boasting the following benefits:

- All repairs are guaranteed for 3 years*
- Option to pay annually or through Direct Debit
- Optional Legal Expenses Cover

So, if you would like to obtain a Van Insurance quotation, or would like to know more about Nissan Van Insurance, please call **0344 335 3783** to speak to our team based in the UK.

Calls charged at the same rate as local 01 and 02 numbers and will be included in inclusive call packages from mobiles. Lines are open Monday to Friday 9am-6pm and Saturday 9am-4pm.

[Terms and Conditions](#)

Quotations are subject to underwriting terms and acceptance criteria.

Nissan Insurance is arranged by Europa Group Ltd trading as Nissan Insurance Services on behalf of Maiden Global Holdings Ltd (registered in England with company number 07324422) Registered office: Albion House, Valley Business Centre, Gordon Road, High Wycombe, HP13 6EQ. Authorised and regulated by the Financial Conduct Authority. Financial Services Register number 555397. Europa Group Limited is authorised and regulated by the Financial Conduct Authority. Financial Services Register No. 309794. Registered as a limited company in England and Wales No. 3279177. Registered office: Europa House, Midland Way, Thornbury, Bristol BS35 2JX.

*Contact your local Nissan dealer or see the Nissan website for full Terms & Conditions

FURTHER INFORMATION

Price Protection Plan. Order a new Nissan for delivery no more than 4 weeks in advance and the price you are quoted is the price you pay. This is irrespective of any subsequent price rises between placing your order and delivery of your new vehicle. Nissan Motor (GB) is not liable for price adjustments caused by Government changes in the rate of VAT or by any other applicable legislation or regulation or Vehicle Excise Duty.

Five year/100,000 miles manufacturer's warranty (whichever comes first) - Nissan's comprehensive warranty provides cover for your new Nissan from defects in materials or workmanship. Your vehicle is covered in all European Countries where Authorised Nissan Dealers are located. If your vehicle becomes inoperative due to warrantable defects, a towing service, when necessary, to the Authorised Dealer is covered. If a warrantable defect abroad takes more than six hours to repair, the Touring Assistance Programme will pay for a hotel or rental car to a certain maximum. The paint warranty covers painted body parts (excluding the underbody) for three years regardless of mileage driven. For further details please contact your local Authorised Nissan Dealer.

Nissan e-NV200 offers a 5-year / 60,000 mile warranty (whichever comes first) on all EV dedicated components, and a 3-year / 60,000 mile warranty on standard components. The Nissan e-NV200 lithium-ion battery state of health guarantee protects against battery capacity loss (less than 9 bars out of 12) as shown on e-NV200's capacity gauge for a period of 8 years / 100,000 miles.

The Conversions in this price list are from Nissan Motor GB-appointed converters and have warranty terms in line with the Nissan Pan European Warranty. The converter is responsible for all aspects of the conversion.

Nissan European Roadside Assistance is provided for the period of your new vehicle manufacturer warranty. Visit www.nissan-aftersales.co.uk for full details including terms & conditions. Nissan EV Pan-European Roadside Assistance is provided by AXA for 5 years or 100,000 miles, whichever comes first.

Benefits and Services are provided by AXA Assistance. AXA Assistance is authorised and regulated by the Financial Conduct Authority (FCA). FCA Register number 439069. AXA Assistance UK Limited (registration 2638890) 106 - 118 Station Road, Redhill Surrey RH1 1PR

Recyclability - we take our environmental responsibilities very seriously - innovation today comes with a deep respect for the environment. Our engines are now much more unobtrusive and their emissions have been considerably reduced. All our vehicles are designed with recycling in mind. All prices in this list are quoted in pounds sterling. Value Added Tax (VAT) has been calculated at 20%.

Pricing - All prices are subject to change, please see your nearest dealership for the most up to date prices. While all reasonable effort has been made to ensure the accuracy of the information provided, due to Nissan's policy of continuous product improvement, all particulars contained are subject to constant revision and Nissan reserves the right to change, alter or modify among other things, specifications, colours and prices of models without notice at any time. Accordingly you should consult your local Nissan Dealer for the exact introduction dates of all models and for the most up-to-date information.

Fleet Customers Special colours and out-of-line-up specifications are available, please check details with fleet managers.

VAT and VED VAT application is based on current HMRC guidelines, please check with HMRC for specific guidance for the vehicle you are purchasing. VED is determined by the DVLA, please check with the DVLA for specific guidance for the vehicle you are purchasing.

OUR PROMISE. YOUR EXPERIENCE.

YOU + NISSAN

REQUEST A TEST DRIVE



There's no time limit on how long you will benefit from our promises. If you are a Nissan Customer, we will look after you. **That is our Promise.**



FREE COURTESY CAR

YOU want to stay on the road when your Nissan is in for a service or repair.

NISSAN PROMISE to keep you mobile free of charge whether you need a courtesy car, or just a lift



FREE VIDEO HEALTH CHECK

YOU want to understand what is going on with your car's service.

NISSAN PROMISE a free vehicle health check and we can even show you any work that might need doing with your own vehicle assessment ideo.



SERVICE PRICE MATCH

YOU want the best value for money when it comes to service and repair.

NISSAN PROMISE simple Fixed Price Servicing, and will price match like-for-like competitor written quotes within 10 miles of your local dealer.



CONTINUOUS ROADSIDE ASSISTANCE

YOU want the peace of mind you get from our quality service to go even further.

NISSAN PROMISE to provide you with Roadside Assistance for free every time you service your car with us.



HERE FOR YOU

YOU want your problems resolved quickly.

NISSAN PROMISE to propose a resolution to any problem within two working days.



TEST DRIVE YOUR CHOICE

YOU want to test drive the latest Nissan model, engine and gearbox you're interested in buying.

NISSAN PROMISE that's what you'll get when you pre-book your test drive either online or through our customer service centre.

Just call 0330 123 1231.

Please visit nissan.co.uk/promise. Terms and conditions apply.



Nissan. Innovation that excites.

NISSAN MOTOR (GB) LIMITED

The Rivers Office Park
Denham Way
Maple Cross
Rickmansworth
Hertfordshire
WD3 9YS

Visit our website at: www.nissan.co.uk

Prices effective from 2nd July 2018 unless otherwise stated

Dealer stamp:

[REQUEST A TEST DRIVE](#)